

Instructions: Place your cursor on the condition type and click!

DOCUMENTATION CLARIFICATION

A	Dermatitis	Malnutrition
Abnormality of Gait and Mobility	Diabetes Mellitus	Myocardial Infarction
Abuse	Diabetic PVD/Neuropathy	O
Acoustic Nerve Disorders	Disability Intellectual	Obesity
Acute Bronchitis and Acute Bronchiolitis	Drug Induced Neutropenia	Other Current Conditions Classifiable Elsewhere of Mother, Delivered, w/ or w/o mention of Antepartum Condition
Alcohol Intoxication	Dysrhythmia - Fibrillation/Flutter	P
Alzheimer's Disease	E	Pneumonia
Angina	Edema	Poor Fetal Growth - Maternal Record
Appendicitis	Encephalopathy	Poor Fetal Growth - Perinatal Record
Arteriosclerosis of Extremities	Excision of Intervertebral Disc	Pressure Ulcer
Asthma	F	R
C	Feeding Problems of Newborn	Respiratory Failure Status
Cardiomyopathy	Fracture	S
Cerebral Artery Occlusion/Stenosis with Infarction	G	Scoliosis
Cerebral Artery Occlusion/Stenosis without Infarction	Gastroenteritis - Infectious	Sepsis
Cerebral Palsy	Glaucoma	SIRS, Sepsis, and Septic Shock Criteria
CHF	Gout	Small-to-Small Intestinal Anastomosis
CHF/Hypertension Heart Disease Clarification	Graft for Ulcers of Calf, Heel, or Midfoot	Spondylosis
Cholelithiasis	H	T
Chronic Skin Ulcer - Non-pressure	Heart Valve Disorder	Tobacco Use
Cirrhosis/Fibrosis of the Liver Non-Alcoholic	Hepatic Encephalopathy	Total Hip Replacement
Colitis	HIV/AIDS	Total Knee Replacement
Concussion	I	Traumatic Fracture
Coronary Artery Disease	Infection in Patient with Urinary Catheter	U
Crohn's Disease	Influenza	Urinary Incontinence
CVA	Intracranial Hemorrhage - Non-Traumatic	Urosepsis
Cystic Fibrosis	L	V
D	Late Effect of Cerebrovascular Disease, Hemiplegia	Varicose Veins (Varix) of Lower Extremities
Debridement	M	Vitamin B12 Deficiency or Anemia

Abnormality of Gait and Mobility

- Difficulty in Walking
- Ataxic Gait
 - Staggering
- Paralytic Gait
 - Spastic
- Unsteadiness on Feet
- Other Abnormality of Gait and Mobility
- Unspecified Abnormality of Gait and Mobility

Please document in your progress notes and discharge summary in order to capture severity of condition.

Abuse

In order to capture the severity of condition, please clarify:

- Type
 - Abuse
 - Dependence
 - Use
 - Unknown

- Abused Substance and specify type if known
 - Alcohol (non-dependent)
 - Amphetamine (or related substance)
 - Cocaine
 - Nicotine
 - Opioids
 - Sedatives
 - Stimulant
 - Hallucinogen
 - Drug (non-dependent)
 - Laxatives
 - Marijuana
 - Physical
 - Sexual (rape)
 - Steroids
 - Other/unspecified drug
 - Unable to determine

- Causal agent, physical complications, and related psychotic symptoms related to drug use
 - Type of delirium
 - Intoxication
 - Type of mental disorder
 - Type of neurological disorder or manifestations
 - Perceptual disturbances

Please document in your progress notes and discharge summary in order to capture severity of condition.

Acoustic Nerve Disorders

- Type
 - Disorder of acoustic nerve
 - Acoustic neuritis in infections and parasitic diseases classified elsewhere
 - ◆ Identify causative parasitic or infectious disease

- Laterality
 - Right
 - Left
 - Bilateral
 - Unspecified

Please document in your progress notes and discharge summary in order to capture severity of condition.

Acute Bronchitis and Acute Bronchiolitis

➤ Acute Bronchitis

- ◆ Chemical (Identify Cause)
 - Due to Fumes or vapors
 - Haemophilus influenzae
 - Mycoplasma Pneumoniae
 - Radiation
 - Streptococcus
- ◆ With Bronchiectasis
- ◆ Chronic obstructive pulmonary disease
- ◆ Viral
 - Coxsackie
 - Echovirus
 - Parainfluenzae
 - Respiratory Syncytial Virus (RSV)
 - Rhinovirus
 - Other specified organism
- ◆ Unspecified

➤ Acute Bronchiolitis

- ◆ With bronchospasm or obstruction
- ◆ With influenza, flu or grippe
- ◆ Chemical (chronic) (e.g. gases, fumes, and vapors)
- ◆ Chronic (fibrosing) (obliterative)
- ◆ Due to (e.g. external agent, virus, other organism)
- ◆ Fibrosa obliterans
- ◆ Influenzal
- ◆ Obliterans
- ◆ Obliterative (chronic) (subacute)
- ◆ Respiratory, interstitial lung disease
- ◆ Other specified organisms
- ◆ Unspecified

Please document in your progress notes and discharge summary in order to capture severity of condition.

Alcohol Intoxication

In order to accurately reflect this patient's severity of illness, please clarify if the above clinical indicators and treatment signify the following:

- Alcohol withdrawal
- Alcohol withdrawal delirium
- Alcohol delirium
- Delirium tremors
- Impending delirium tremors
- Alcohol dependence with impending delirium tremors
- Alcohol dependence
- Alcohol abuse
- Alcohol abuse with preventative treatment for tremors
- Evidence of thiamine deficiency due to chronic alcohol use/alcoholism
- Prophylactic treatment of potential thiamine deficiency associated with alcohol use/alcoholism
- Unable to determine
- Please document blood alcohol level

Please document in your progress notes and discharge summary in order to capture severity of condition.

Alzheimer's Disease

- Type
 - Early onset
 - Late onset
 - Other
 - Unspecified

- If applicable, also document
 - Delirium
 - Dementia
 - ◆ With behavioral disturbance
 - ◆ Without behavioral disturbance

Please document in your progress notes and discharge summary in order to capture severity of condition.

Angina

- Type
 - With (e.g. atherosclerotic or arteriosclerotic heart disease, documented spasm)
 - Crescendo
 - Following acute myocardial infarction (current complication), reason for encounter
 - Ludwig's
 - Of effort
 - Post-infarctional (current complication), reason for encounter
 - Preinfarctional
 - Pseudomembranous
 - Unstable
 - Worsening effort
 - Other specified
 - Unspecified

- Presence of hypertension

- Associated tobacco use
 - Dependence
 - Use
 - History of
 - Exposure
 - ◆ Occupational
 - ◆ Environmental

Please document in your progress notes and discharge summary in order to capture severity of condition.

Appendicitis

- Acute
 - With generalized Peritonitis
 - ◆ Ruptured Appendix
 - With Localized Peritonitis
 - ◆ Peritoneal Abscess
 - ◆ With or Without Rupture of Appendix
 - Other
 - Unspecified
 - ◆ Without Peritonitis

- Other
 - Chronic
 - Recurrent

- Unspecified

Please document in your progress notes and discharge summary in order to capture severity of condition.

Arteriosclerosis of Extremities

- Site
 - Native artery
 - Bypass graft
 - ◆ Autologous vein
 - ◆ No autologous biological
 - ◆ Nonbiological
 - ◆ Other
 - ◆ Unspecified
 - Other arteries
- Complications/manifestations
 - Gangrene
 - Intermittent claudication
 - Rest pain
 - Ulceration
 - ◆ Thigh
 - ◆ Calf
 - ◆ Ankle
 - ◆ Heel and midfoot
 - ◆ Other part of the foot
 - ◆ Other part of lower leg
 - ◆ Unspecified siteOther
 - ◆ Unspecified
- Severity of ulcer, if present
 - Limited to breakdown of skin
 - With fat layer exposed
 - With necrosis of muscle
 - With necrosis of bone
 - Unspecified
- Laterality
 - Right
 - Left
 - Bilateral
 - Other
 - Unspecified
- Unspecified atherosclerosis
- Generalized atherosclerosis
- Chronic total occlusion of artery

Please document in your progress notes and discharge summary in order to capture severity of condition.

Asthma

In order to capture the severity of condition, please clarify if the condition indicates:

- Forms
 - With (e.g. exacerbation, status asthmaticus)
 - Allergic extrinsic
 - Childhood
 - Chronic obstructive
 - Due to (e.g. detergent, fumes)
 - Exercise induced bronchospasm
 - Extrinsic allergic
 - Hay fever
 - Persistent
 - Pneumoconiotic (coded pneumoconiosis)
 - Other specified
 - Unspecified
- Severity
 - With (e.g. exacerbation, status asthmaticus)
 - Cough variant
 - Exercise induced bronchospasm
 - Intermittent (mild)
 - Mild
 - Moderate
 - Persistent
 - Severe
 - Other specified
 - Unspecified
- Complications
 - Acute exacerbation
 - Status Asthmaticus
 - Uncomplicated

Please document in your progress notes and discharge summary in order to capture severity of condition.

Cardiomyopathy

In order to capture severity of illness, please clarify the following:

- Type of Cardiomyopathy
 - ◆ Primary
 - ◆ Obstructive
 - ◆ Toxic
 - ◆ Hypertrophic
 - ◆ Ischemic
 - ◆ Secondary, indicate underlying cause
 - ◆ Dilated
 - ◆ Congenial
 - ◆ Restrictive
 - ◆ Alcoholic
 - ◆ Hypertensive
 - ◆ Due to drug and external agent
 - ◆ Unable to determine
 - ◆ Other

Please document in your progress notes and discharge summary in order to capture severity of condition.

Cerebral Artery Occlusion/Stenosis with Infarction

- Etiology: Same as ICD-9-CM
 - Embolism
 - Thrombosis
 - Unspecified occlusion/stenosis

- Site
 - Cerebral artery
 - ◆ Anterior
 - ◆ Middle
 - ◆ Posterior
 - Cerebellar
 - Other specified cerebral artery
 - Unspecified cerebral artery

- Laterality
 - Right
 - Left
 - Bilateral
 - Unspecified

Please document in your progress notes and discharge summary in order to capture severity of condition.

Cerebral Artery Occlusion/Stenosis w/o Infarction

- Etiology: Same as ICD-9-CM
 - Embolism,
 - Thrombosis
 - Unspecified occlusion/stenosis

- Occlusion of Cerebral Artery
 - With Infarction
 - Transient cerebral ischemic attacks and related syndromes
 - Traumatic intracranial hemorrhage
 - Anterior
 - Cerebellar (anterior inferior) (posterior inferior) (superior)
 - Choroidal (anterior)
 - Communication posterior
 - Hypophyseal
 - Middle
 - Pontine
 - Posterior
 - Precerebral
 - Other specified
 - Unspecified

- Laterality
 - Right
 - Left
 - Bilateral
 - Unspecified

Please document in your progress notes and discharge summary in order to capture severity of condition.

Cerebral Palsy

In order to capture the severity of condition and proper associated condition, please clarify condition:

- Spastic Cerebral Palsy
- Spastic Diplegia Cerebral Palsy
- Spastic Quadriplegic Cerebral Palsy
- Spastic Hemiplegic Cerebral Palsy
- Ataxic Cerebral Palsy
- Athetoid Cerebral Palsy
- Due to hypertension
- Unable to determine
- Other Ceribral Palsy

Please document in your progress notes and discharge summary in order to capture severity of condition.

CHF

In order to capture severity of illness and ensure accurate coding, please specify the type of CHF:

- Systolic
- Diastolic
- Systolic and Diastolic
- Acute
- Chronic
- Acute on Chronic
- Due to hypertension
- Other

Please document in your progress notes and discharge summary in order to capture severity of condition.

CHF/Hypertension Heart Disease Clarification

Please clarify the relationship between CHF and Hypertension:

- Congestive Heart Failure due to Hypertensive Heart Disease
- Congestive Heart Failure due to Hypertensive Heart Disease with CKD
 - ◆ Stage
 - ◆ ERSD
 - ◆ Unable to stage
- Congestive Heart Failure not due to Hypertensive Heart Disease
- No relationship
- Unable to determine
- Other

Please document in your progress notes and discharge summary in order to capture severity of condition.

Cholelithiasis

- Site of calculus
 - Bile duct
 - Gallbladder
 - Gallbladder and bile duct
 - Other

- With Cholecystitis
 - Acute
 - Acute and chronic
 - Chronic

- With Cholangitis
 - Acute
 - Acute and chronic
 - Chronic

- Without cholecystitis

- Without cholangitis or cholecystitis

- With or without obstruction

Please document in your progress notes and discharge summary in order to capture severity of condition.

Chronic Skin Ulcer - Non-Pressure

- Site
 - Back
 - Buttock
 - Lower limb
 - ◆ Ankle
 - ◆ Calf
 - ◆ Heel and midfoot
 - Plantar surface
 - ◆ Other part of foot
 - Toes
 - ◆ Thigh
 - ◆ Other part of lower leg
 - ◆ Unspecified part of the lower leg
 - Skin of other sites
- Ulcer depth
 - Limited to skin breakdown
 - With fat layer exposed
 - With muscle necrosis
 - With bone necrosis
 - Unspecified
- Laterality of lower limb
 - Right
 - Left
- Causal condition of lower limb ulcer
 - Atherosclerosis of lower extremity
 - Chronic venous hypertension
 - Diabetic ulcers
 - Postphlebotic syndrome
 - Postthrombotic syndrome
 - Varicose ulcer
- Gangrene

Please document in your progress notes and discharge summary in order to capture severity of condition.

Cirrhosis/Fibrosis of the Liver Non-Alcoholic

- Cirrhosis
 - ◆ Biliary
 - ◆ Primary
 - ◆ Secondary
 - ◆ Unspecified
 - ◆ Other cirrhosis of liver
 - ◆ Cryptogenic
 - ◆ Macronodular
 - ◆ Micronodular
 - ◆ Mixed type
 - ◆ Portal
 - ◆ Postnecrotic
 - ◆ Unspecified
- Fibrosis, hepatic
 - ◆ With sclerosis
 - ◆ Without sclerosis

Please document in your progress notes and discharge summary in order to capture severity of condition.

Colitis

A diagnosis of colitis lacks specificity to accurately cod our patient's severity of illness, clarification is requested:

- Type
 - Acute
 - Chronic
 - Acute on Chronic
 - Other

- Whether it is
 - Ulcerative
 - Ischemic
 - Infectious
 - Inflammatory Bowel Disease
 - Drug induced
 - Spastic
 - Due to Radiation
 - Other

- Complications
 - Rectal bleeding
 - Fistula
 - Intestinal Obstruction
 - Abscess

Please document in your progress notes and discharge summary in order to capture severity of condition.

Concussion

- With loss of consciousness
- Without loss of consciousness

LENGTH OF LOSS OF CONSCIOUSNESS:

- 30 min or less
- 31-59 minutes
- 1 hour- 5hrs 59 minutes
- 6 hours-24 hours
- More than 24 hrs or Unknown
- Describe encounter: Initial/Subsequent encounter/Sequela

Please document in your progress notes and discharge summary in order to capture severity of condition.

Coronary Artery Disease

- Congenital
- Ostial Symphilitic
 - Aortic
 - Mitral
 - Pulmonary
- Other
- Type of Vessel
 - Specify native vessel
 - Bypass graft
 - ◆ Autologous artery
 - ◆ Non-autologous biological
 - ◆ Autologous vein
 - ◆ Other specified type
 - ◆ Unspecified
 - Transplanted heart
 - Other
- Additional Symptom
 - Specify angina pectoris
 - Specify Ischemic chest pain
 - Other /Unspecified

Please document in your progress notes and discharge summary in order to capture severity of condition.

Crohn's Disease

- Site
 - Small intestine
 - Large intestine
 - Both small and large intestine
 - Unspecified site

- With Complication
 - Abscess
 - Fistula
 - Intestinal obstruction
 - Rectal Bleeding
 - Other
 - Unspecified

- Without Complication

Please document in your progress notes and discharge summary in order to capture severity of condition.

CVA

In order to capture the severity of illness please clarify location of CVA, embolic, thrombus, bleed or hemorrhage:

- Hemisphere
- Brain Stem
- Cerebellum
- Etiology
- Unable to determine
- Other

IF THROMBUS OR EMBOLISM PLEASE SPECIFY ARTERY:

- Right, Middle, Left
- Anterior or posterior
- Cerebral or Cerebellar Artery
- Etiology unknown
- Unable to determine
- Other

Please document in your progress notes and discharge summary in order to capture severity of condition.

Cystic Fibrosis

In order to capture the severity of illness, please specify:

- Pulmonary manifestations
- Intestinal manifestations
- Pneumonia (specify specific bacteria if known)
- Bronchiectasis
- Unable to determine

Please document in your progress notes and discharge summary in order to capture severity of condition.

Debridement

- Method
 - ◆ Excisional
 - ◆ Non excisional
 - ◆ Other

- Instrument Used
 - ◆ Scalpel or blade (Scalpel/blade #)
 - ◆ Scissors
 - ◆ Curette
 - ◆ Pulse Lavage
 - ◆ Versa Jet
 - ◆ Electro Cautery

- Depth
 - ◆ Subcutaneous/Soft tissue/Fascia/Muscle/Bone
 - ◆ Type of tissue removed: Fatty/Fibrous/Other
 - ◆ Other

Please document in your progress notes and discharge summary in order to capture severity of condition.

Dermatitis

- Allergic Contact dermatitis, due to
 - Metals
 - Adhesives
 - Dyes
 - Animal Dander

- Irritant Contact Dermatitis, due to
 - Detergents
 - Oils and greases
 - Solvents
 - Metals

- Unspecified Contact Dermatitis due to
 - Dyes

- Causative Agents for all Types
 - Cement
 - Cosmetics
 - Drugs in Contact with Skin
 - Food in Contact with Skin
 - Insecticide
 - Plants (except food)
 - Plastic or Rubber
 - Other Agents
 - Unspecified Cause

Please document in your progress notes and discharge summary in order to capture severity of condition.

Diabetes Mellitus

- Type
 - Type 1
 - Type 2
 - Drug/Chemical induced
 - Due to underlying condition
 - Specified type
- Control
 - Inadequately controlled
 - Out of control
 - Poorly controlled
 - Hypoglycemia
 - Hyperglycemia
- Manifestation/Complication
 - Anthropathy
 - Osteomyelitis
 - ◆ Acute
 - ◆ Subacute
 - ◆ Chronic
 - Circulatory complications
 - Hyperosmolarity
 - ◆ With or without coma
 - Hypoglycemia
 - ◆ With or without coma
 - Ketoacidosis
 - ◆ With or without coma
 - Kidney Complications
 - Neurological complications
 - Ophthalmic complications
 - Oral complications
 - Skin complications
 - Without complications
- Insulin use
 - No longer required for type 1

Please document in your progress notes and discharge summary in order to capture severity of condition.

Diabetic PVD/Neuropathy

In order to capture the severity of illness and provide the most specific documentation possible, it is necessary to link any associated conditions.

- Diabetic Neuropathy
- Diabetic Peripheral Vascular Disease
- Unable to determine
- Other

Please document in your progress notes and discharge summary in order to capture severity of condition.

Disability Intellectual

- With or without autistic features
 - Borderline (IQ above 70-84)
 - Intellectual disability, mild (IQ 50-69)
 - Intellectual disability, moderate (IQ 35-49):
 - Intellectual disability, severe, (IQ 20-34)
 - Intellectual disability, profound (IQ under 20)
 - Other
 - Unspecified

Please document in your progress notes and discharge summary in order to capture severity of condition.

Drug Induced Neutropenia

- Drug-induced neutropenia (agranulocytosis) secondary to cancer chemotherapy
 - Specify the drug
 - Specify the malignancy
- Other drug-induced agranulocytosis
 - Specify the drug
- Document any adverse effects, i.e. fever or mucositis

Please document in your progress notes and discharge summary in order to capture severity of condition.

Dysrhythmia - Fibrillation/Flutter

In order to capture the severity of condition, please clarify the type of arrhythmia:

- Type
 - ◆ Fibrillation
 - Paroxysmal atrial
 - Persistent atrial
 - Chronic atrial
 - Permanent
 - Unspecified atrial
 - ◆ Flutter
 - Typical atrial
 - Atypical atrial
 - Type 1
 - Type 2
 - Unspecified atrial
- Site
 - ◆ Atrial
 - ◆ Ventricular

Please document in your progress notes and discharge summary in order to capture severity of condition.

Edema

- Localized
- Generalized
- Unspecified
 - Fluid Retention
- Site Specific
- As a manifestation

Please document in your progress notes and discharge summary in order to capture severity of condition.

Encephalopathy

Encephalopathy is a term for any diffuse disease of the brain that alters brain function or structure. The hallmark of encephalopathy is an altered mental state. Depending on the type and severity of encephalopathy, common neurological symptoms are progressive loss of memory and cognitive ability, subtle personality changes, inability to concentrate, lethargy, and progressive loss of consciousness. Other neurological symptoms may include myoclonus, nystagmus, tremor, muscle atrophy and weakness, dementia, seizures, and loss of ability to swallow or speak.

- Acute
- Chronic
- Type
 - Congenital
 - Alcoholic
 - Due to drugs
 - Hepatic (coded as hepatic failure)
 - Hyerbilirubinemic, newborn
 - Hypertensive
 - In (due to) (e.g. birth injury, hyperinsulinism, influenza...)
 - Saturnine
 - Toxic
 - Traumatic (postconcussional)
 - Other specified
 - Unspecified

Please document in your progress notes and discharge summary in order to capture severity of condition.

Excision of Intervertebral Disc

- Excision Site
 - Specify Cervical Vertebral Disc
 - Specify Cervicothoracic Vertebral Disc
 - Specify Thoracic Vertebral Disc
 - Specify Thoracolumbar Vertebral Disc
 - Specify Lumbar Vertebral Disc
 - Specify Lumbrascal Disc

- Approach
 - Specify Open
 - Specify Percutaneous Endoscopic
 - Specify Percutaneous

- Resection Site
 - Specify Cervical Vertebral Joint
 - Specify Cervicothoracic Vertebral Joint
 - Specify Thoracic Vertebral Disc
 - Specify Thoracolumbar Vertebral Disc

- Root Operation
 - Specify Excision (cutting out or off, without replacement, a PORTION of a body part)
 - Specify Resection (cutting out or off, without replacement, ALL of a body part)

Please document in your progress notes and discharge summary in order to capture severity of condition.

Feeding Problems of Newborn

- Difficulty feeding at breast
- Failure to thrive
- Overfeeding
- Regurgitation and rumination
- Slow feeding
- Underfeeding
- Vomiting
 - ◆ Billious
 - ◆ Other
- Other
- Unspecified

Newborn defined as the first 28 days of life.

If condition first presents after 28 days, it is not considered a newborn condition. These codes can be used throughout the life of the patient, if the condition is still present after 28 days.

Please document in your progress notes and discharge summary in order to capture severity of condition.

Fracture

In order to capture the severity of the illness and provide the most specific documentation possible, it is necessary to link any associated conditions.

- Etiology
 - Traumatic
 - Non-traumatic
 - Pathological
 - ◆ Specify in Neoplastic disease
 - ◆ Specify in other disease
 - ◆ Specify in osteoporosis
 - ♦ Age-related
 - ♦ Drug induced
 - ♦ Post-oophorectomy
 - ♦ Other

(This list is not all inclusive)

- Specify the type of fracture
 - Closed or open
 - Displaced or non-displaced
 - Comminuted
 - Oblique
 - Transverse
 - Impacted
 - Spiral
 - Greenstick
 - Malunion

(This list of fracture types is not all inclusive)

- Specify the Site of Fracture
- Laterality or Location
 - Left
 - Right
 - Bilateral
 - Upper and/or Lower
- Type of encounter
 - Initial
 - Subsequent
 - ◆ Delayed healing
 - ◆ Malunion
 - ◆ Nonunion
 - ◆ Routine healing
 - Sequela
- Other

Please document in your progress notes and discharge summary in order to capture severity of condition.

Gastroenteritis - Infectious

- Infectious Agent
 - Acute amebic dysentery
 - Adenovirus
 - Bacillary dysentery
 - Balantidiasis
 - Botulism food poisoning
 - Calicivirus
 - Campylobacter
 - Chronic intestinal amebiasis
 - Clostridium difficile (c-diff)
 - Clostridium perfringens
 - Coxsackie echovirus
 - Cryptosporidiosis
 - Cyclosporiasis
 - Enterovirus
 - Escherichia coli (E. coli)
 - ♦ Enterohemorrhagic
 - ♦ Enteroinvasive
 - ♦ Enteropathogenic
 - ♦ Enterotoxigenic
 - Giardiasis
 - Intestinal trichomoniasis
 - Isosporiasis
 - Non-dysenteric colitis
 - Norwalk agent virus
 - Rotavirus
 - Salmonella
 - Shigellosis, unspecified
 - Staphylococcal foodborne intoxication
 - Torovirus
 - Vibrio
 - ♦ Parahaemolyticus
 - ♦ Vulnificus
 - Yersinia enterocolitica
 - Other and unspecified
 - ♦ Bacteria
 - ♦ Bacterial food poisoning
 - ♦ Protozoal
 - ♦ Small round virus
 - ♦ Viral

Please document in your progress notes and discharge summary in order to capture severity of condition.

Glaucoma

- Type
 - Glaucoma suspect
 - Open-angle
 - Primary angle-closure
 - Secondary to
 - ◆ Eye Trauma
 - ◆ Eye Inflammation
 - ◆ Other Eye Disorders
 - ◆ Drugs
 - Other glaucoma
 - Unspecified Glaucoma
 - Glaucoma in Diseases Classified Elsewhere

- Stage
 - Mild
 - Moderate
 - Severe
 - Indeterminate
 - Unspecified

- Laterality
 - Right/Left
 - Bilateral
 - Unspecified

Please document in your progress notes and discharge summary in order to capture severity of condition.

Gout

In order to capture the severity of illness, please clarify the following:

- Acute
- Chronic
- Specific site:
 - Example: Ankle, Elbow, Foot Joint, Hand Joint, Hip, Knee, Wrist
- Indicate specific site
 - Left
 - Right
 - Unspecified
- Due to
 - Drug Induced
 - Idiopathic
 - Renal impairment
 - Lead induced
 - Primary
 - Secondary
 - Etiology Unknown
 - Unable to determine
 - Other

(This list is not all inclusive, specify)

Please document in your progress notes and discharge summary in order to capture severity of condition.

Graft for Ulcers of Calf, Heel, or Midfoot

- Severity
 - Specify with necrosis of muscle
 - Specify with necrosis of bone
 - Specify fat layer exposed
- Type of Ulcer
 - Specify non-pressure chronic
- Type of graft/source of graft
 - Specify bypass graft
 - Specify nonbiological bypass graft
 - Specify nonautologous
 - Specify autologous
- Laterality/Extremity
 - Specify right leg
 - Specify left leg

Please document in your progress notes and discharge summary in order to capture severity of condition.

Heart Valve Disorder

In order to capture the severity of condition, please clarify the type of disorder:

- Site
 - Aortic
 - Mitral
 - Pulmonary
 - Tricuspid

- Indicate cause as
 - Rheumatic
 - Non-rheumatic

- Condition
 - Insufficiency
 - Prolapse (mitral only)
 - Stenosis
 - Stenosis with insufficiency (not mitral)

- Other

- Unspecified

Please document in your progress notes and discharge summary in order to capture severity of condition.

Hepatic Encephalopathy

- With Coma
- Complicating abortion, ectopic or molar pregnancy
- Complicating pregnancy, childbirth or the puerperium
- Icterus of newborn
- Postprocedural
- Viral hepatitis
- With toxic liver disease
- Acute or subacute
- Alcoholic (acute) (chronic) (subacute)
- Chronic
- Due to drugs (acute) (subacute) (chronic)
- Other/unspecified

Please document in your progress notes and discharge summary in order to capture severity of condition.

HIV/AIDS

In order to capture the severity of illness, please document appropriate condition:

- HIV Negative
- HIV Positive, asymptomatic
- Contact with or exposure to HIV
- AIDS per CDC definition
- AIDS related manifestation
- HIV complicating pregnancy, childbirth and the puerperium, if applicable
- Unable to determine
- Associated drug resistance
- Or other condition.

Please document in your progress notes and discharge summary in order to capture severity of condition.

Infection in Patient with Urinary Catheter

In order to capture severity of illness, Please clarify the cause of the infection

- UTI is associated with the urinary catheter
- UTI is NOT associated with the urinary catheter
- Initial
- Subsequent
- Sequela
- Unable to determine
- Or other condition, please specify

Please document in your progress notes and discharge summary in order to capture severity of condition.

Influenza

➤ Due To:

- Confirmed Virus
 - ♦ With (e.g. digestive manifestations, encephalopathy, gastroenteritis)
 - ♦ Perinatal
 - ♦ A/H5N1
 - ♦ Avian
 - ♦ Bird
 - ♦ Due to identified influenza virus (e.g. avian, swine...)
 - ♦ Intestinal
 - ♦ Maternal, affecting newborn
 - ♦ Novel (2009) H1N1 influenza
 - ♦ Novel influenza A/H1N1
 - ♦ Of other animal origin, not bird or swine
 - ♦ Swine (viruses that normally cause infections in pigs)
 - ♦ Other/unspecified
- Other identified influenza virus
- Unidentified influenza virus

➤ With:

- Gastrointestinal manifestations
- Pneumonia
 - ♦ Identify
 - Type of pneumonia
 - Associated lung abscess
- Other respiratory manifestations
 - ♦ Identify associated
 - Pleural effusion
 - Sinusitis
- Other manifestations
 - Encephalopathy
 - Myocarditis
 - Otitis media
 - ♦ Perforation of tympanic membrane

Please document in your progress notes and discharge summary in order to capture severity of condition.

Intracranial Hemorrhage - Non-Traumatic

- Newborn
- Sequelae of
- Traumatic
- Epidural, nontraumatic
- Extradural, nontraumatic
- Intracerebral (nontraumatic) (in)
- Subarachnoid (nontraumatic) (from)
- Subdural (nontraumatic)
- Acute
- Chronic
- Subacute
- Other/unspecified

Please document in your progress notes and discharge summary in order to capture severity of condition.

Late Effect of Cerebrovascular Disease, Hemiplegia

- Causal Condition
 - Right/Left
 - Dominant/Non-Dominant
 - Specify nontraumatic subarachnoid hemorrhage
 - Specify nontraumatic intracerebral hemorrhage
 - Specify other nontraumatic intracranial hemorrhage
 - Specify cerebral infarction

Please document in your progress notes and discharge summary in order to capture severity of condition.

Malnutrition

➤ Degree

- ◆ Mild (first)
- ◆ Moderate (second)
- ◆ Severe with starvation edema (third)
 - Intermediate form
 - With kwashiorkor
 - With marasmus
- ◆ Following GI surgery
- ◆ Lack of Care or neglect
- ◆ Malignant
- ◆ Protein
- ◆ Calorie
- ◆ Energy

Please document in your progress notes and discharge summary in order to capture severity of condition.

Myocardial Infarction

- Site for initial episode of STEMI
 - ◆ Anterior wall
 - Left Main Coronary Artery
 - Left Anterior Descending Artery
 - Other Coronary Artery of Anterior Wall
 - ◆ Inferior Wall
 - Right Coronary Artery
 - Other Coronary Artery of Inferior Wall
 - ◆ Other
 - Left Circumflex Coronary Artery
 - Other Unspecified
 - ◆ Unspecified
- Site for subsequent episode STEMI
 - ◆ Anterior Wall
 - ◆ Inferior Wall
 - ◆ Other
- NSTEMI - Initial/Subsequent
 - ◆ No Site Required
 - ◆ Episode of Care Reporting Only
- Episode of care
 - ◆ Initial (4 week timeframe)
 - ◆ Subsequent (care for a subsequent, new MI occurring within the 4 week time frame of Initial MI)
- Complications
- Type
 - ◆ ST elevation MI (STEMI)
 - ◆ Non-ST elevation MI (NSTEMI)

Please document in your progress notes and discharge summary in order to capture severity of condition.

Obesity

- Morbid (severe)
 - Due to excess calories
 - With alveolar hypoventilation
- With alveolar hyperventilation
- Adiposogenital dystrophy
- Complicating childbirth, pregnancy, or the puerperium
- Lipomatosis
- Prader-Willi syndrome
- Adrenal
- Constitutional
- Dietary counseling and/or surveillance
- Drug-induced
- Due to excess calories
- Endocrine
- Endogenous
- Familial
- Glandular
 - Hypothyroid
 - Morbid
 - Nutritional
 - Pituitary
 - Severe
 - Other specified
 - Unspecified
 - Due to calories
- Body mass index (BMI)

Please document in your progress notes and discharge summary in order to capture severity of condition.

Other Current Conditions Classifiable Elsewhere of Mother, Delivered, With or Without Mention of Antepartum Condition

- Causal Agent
 - Specify physical abuse
 - Specify sexual abuse
 - Specify psychological abuse

- Complication
 - Specify injury, poisoning and certain other consequences of external causes
 - Specify skin and subcutaneous tissue diseases
 - Specify malignant neoplasm
 - Specify Streptococcus B
 - Specify digestive system diseases

- Pregnancy Stage
 - Specify first trimester
 - Specify second trimester
 - Specify third trimester
 - Specify childbirth

Please document in your progress notes and discharge summary in order to capture severity of condition.

Pneumonia

- Identify any associated
 - Influenza
 - Lung abscess
- Due to
 - Virus
 - ♦ Adenoviral
 - ♦ Human metapneumovirus
 - ♦ Parainfluenza
 - ♦ Respiratory syncytial virus
 - ♦ SARS-associated coronavirus
 - ♦ Other virus
 - ♦ Unspecified
 - Bacteria
 - ♦ E. Coli
 - ♦ H. influenza
 - ♦ Klebsiella pneumoniae
 - ♦ MRSA
 - ♦ MSSA
 - ♦ Mycoplasma pneumoniae
 - ♦ Pseudomonas
 - ♦ Streptococcal pneumoniae
 - ♦ Streptococcus, Group B
 - ♦ Other
 - Aerobic Gram-negative bacteria
 - Specified bacteria
 - Staphylococcus
 - Streptococcus
 - Other infectious organisms
 - ♦ Chlamydia
 - ♦ Other specified organism
 - Unspecified organism
 - ♦ Bronchopneumonia
 - ♦ Hypostatic
 - ♦ Lobar
 - ♦ Other pneumonia
 - ♦ Pneumonia
 - Hospital Acquired
 - Post-Procedural
 - Aspiration

Please document in your progress notes and discharge summary in order to capture severity of condition.

Poor Fetal Growth - Maternal Record

- Maternal care for known or suspected poor fetal growth
 - Due to know or suspected
 - ◆ Placental insufficiency
 - ◆ Other poor fetal growth
 - Light-for-dates NOS
 - Small-for-dates NOS

- Trimester
 - First (less than 14 weeks 0 days)
 - Second (14 weeks 0 days to less than 28 weeks 0 days)
 - Third (28 weeks 0 days until delivery)
 - Unspecified

- Fetus affected by complication
 - Multiple gestation pregnancy
 - ◆ Fetus 1
 - ◆ Fetus 2
 - ◆ Fetus 3
 - ◆ Fetus 4
 - ◆ Fetus 5
 - ◆ Other
 - Unspecified or not applicable (i.e. single fetus)

Please document in your progress notes and discharge summary in order to capture severity of condition.

Poor Fetal Growth - Perinatal Record

- Light-for-dates
- Small-for-dates
- Small-and-light-for-dates
- Fetal (intrauterine) malnutrition not light or small for gestational age
- Newborn affected by slow intrauterine growth, unspecified
- Birthweight in grams
 - Unspecified to 2,499 gms

Please document in your progress notes and discharge summary in order to capture severity of condition.

Pressure Ulcer

➤ Site

- Ankle
- Back
 - ♦ Lower
 - ♦ Upper
 - ♦ Unspecified part
 - ♦ Shoulder blade
- Buttock
- Contiguous sites of back, buttock, hip
- Elbow
- Head
 - ♦ Face
- Heel
- Hip
- Sacral region
 - ♦ Coccyx, tailbone
 - ♦ Other Unspecified

➤ Stage

- Stage 1 (healing) (pre-ulcer skin changes limited to persistent focal edema)
- Stage 2 (healing) (abrasion, blister, partial thickness skin loss involving epidermis and or dermis)
- Stage 3 (healing) (full thickness skin loss involving damage of necrosis of subcutaneous tissue)
- Stage 4 (healing) (necrosis of soft tissues through to underlying muscle, tendon, or bone)
- Unstageable
- Unspecified

➤ Laterality of limbs and trunk

- Right
- Left
- Unspecified

Please document in your progress notes and discharge summary in order to capture severity of condition.

Respiratory Failure Status

In order to capture the severity of the condition, please clarify the clinical significance:

- Acute Respiratory Failure
 - With Hypercapnia
 - With Hypoxia

- Chronic Respiratory Failure
 - With Hypercapnia
 - With Hypoxia

- Acute and Chronic Respiratory Failure
 - With Hypercapnia
 - With Hypoxia

- Pulmonary Insufficiency Following Surgery

- Acute Respiratory Distress

- Acute Respiratory Insufficiency

- Other Respiratory Diagnosis

- Unable to determine

Please document in your progress notes and discharge summary in order to capture severity of condition.

Scoliosis

➤ Type

- Idiopathic
 - ♦ Infantile
 - ♦ Juvenile
 - ♦ Adolescent
 - ♦ Other idiopathic
- Neuromuscular
 - ♦ Identify underlying condition
- Other secondary
- Thoracogenic
- Other forms of scoliosis
- Unspecified scoliosis

➤ Region

- Occipito-atlanto-axial (only applicable to neuromuscular scoliosis)
- Cervical
- Cervicothoracic
- Thoracic
- Thoracolumbar
- Lumbar or lumbosacral
- Sacral/sacrococcygeal (only applicable to infantile idiopathic scoliosis)
- Unspecified

Please document in your progress notes and discharge summary in order to capture severity of condition.

Sepsis

- Causal Organism
 - Streptococcus Group A
 - Streptococcus Group B
 - Streptococcus pneumoniae
 - MRSA
 - MSSA
 - Gram Negative
(This is not inclusive of all specificity)

- Onset
 - Present on Admission
 - Developed during Admission

- Differentiate Between
 - Sepsis (SIRS + Source of Infection)
 - Severe Sepsis (Organ Dysfunction, Hypotension, or Hypoperfusion)
 - Septic Shock (severe Sepsis with Hypotension despite adequate fluid resuscitation
(See criteria for each))

Please document in your progress notes and discharge summary in order to capture severity of condition.

SIRS, Sepsis, and Septic Shock Criteria

- SIRS Criteria (meets greater than or equal to 2 SIRS definitions)
 - Further differentiate between:
 - ◆ SIRS to Non-infectious process - can be caused by trauma, malignant neoplasm, burns, etc
 - ◆ Sepsis (SIRS due to infectious process)
 - Temp >38 degrees C (110.4 degrees F) or <36 degrees C (96.8 degrees F)
 - Heart Rate >90
 - Respiratory Rate >20 or PaCo2 <32mm HG
 - WBC > 12,000/mm³, or 10% bands
- Sepsis Criteria (SIRS + Source of Infection)
 - Suspected or Present Source of Infection
- Severe Sepsis Criteria (Organ Dysfunction, Hypotension, or Hypoperfusion)
 - Lactic Acidosis, SBP <90 or SBP Drop greater than or equal to 40 mm Hg of normal
- Septic Shock Criteria
 - Severe Sepsis with Hypotension, despite adequate fluid resuscitation
- Multiple Organ Dysfunction Syndrome Criteria
 - Evidence of greater than or equal to 2 organs failing

Please document in your progress notes and discharge summary in order to capture severity of condition.

Small-to-Small Intestinal Anastomosis

- Bypass Site
 - Specify Duodenum
 - Specify Jejunum
 - Specify Ileum

- Bypass Destination Site
 - Specify Duodenum
 - Specify Jejunum
 - Specify Ileum

- Approach
 - Specify open
 - Specify percutaneous
 - Specify natural or artificial opening

- Type of Device
 - Specify Autologous Tissue Substitute
 - Specify Synthetic Tissue Substitute
 - Specify Non-Autologous tissue substitute (tissue bank)

Please document in your progress notes and discharge summary in order to capture severity of condition.

Spondylosis

- Spondylopathic site
 - Specify occipito-atlanto-axial
 - Specify cervical
 - Specify cervicthoracic(This list is not all inclusive)
- Specify with or without radiculopathy
- Specify with or without myelopathy
- Traumatic
- Anterior spinal artery compression syndrome
- Vertebral artery compression syndrome
- Other specified
- Unspecified

Please document in your progress notes and discharge summary in order to capture severity of condition.

Tobacco Use

- Tobacco use (casual use)
- Nicotine dependence
 - Product
 - ◆ Chewing tobacco
 - ◆ Cigarettes
 - ◆ Other tobacco product
 - ◆ Unspecified
 - Status
 - ◆ Uncomplicated
 - ◆ In remission
 - ◆ With withdrawal
 - ◆ Other nicotine-induced disorders
 - ◆ Unspecified nicotine-induced disorders
- History of nicotine dependence
- Counseling and surveillance
- Indicate contact with environmental tobacco smoke
 - Occupational
 - Second-hand smoke

Please document in your progress notes and discharge summary in order to capture severity of condition.

Total Hip Replacement

- Laterality
 - Specify Right
 - Specify Left

- Type of Device
 - Specify Autologous Tissue Substitute
 - Specify Non-Autologous tissue substitute
 - Specify Synthetic Substitute
 - ◆ Metal
 - ◆ Metal on polyethylene
 - ◆ Ceramic
 - ◆ Ceramic on polyethylene

- Indicate
 - Specify Cemented
 - Specify Uncemented

Please document in your progress notes and discharge summary in order to capture severity of condition.

Total Knee Replacement

- Replacement Site/Laterality
 - Specify Knee Joint/Right
 - Specify Knee Joint/Left

- Type of Device
 - Specify Autologous Tissue Substitute
 - Specify Synthetic Substitute
 - Specify Non-Autologous Tissue Substitute

- Type of Prosthesis
 - Specify Cemented
 - Specify Uncemented

Please document in your progress notes and discharge summary in order to capture severity of condition.

Traumatic Fracture

- Site
 - ◆ Neer classification proximal end of humerus
 - ◆ Salter-Harris classification for physal fractures
 - Open
 - ◆ Gustilo classification for long bone fractures
 - Closed
- Episode of Care
 - ◆ Initial (active phase of treatment)
 - ◆ Subsequent (after active phase)
 - With delayed healing
 - With malunion
 - With nonunion
 - With routine healing or aftercare
 - ◆ Sequela/Late Effect

Please document in your progress notes and discharge summary in order to capture severity of condition.

Urinary Incontinence

- Continuous leakage
- Incontinence without sensory awareness
- Mixed incontinence
 - ◆ Urge and stress
- Overflow incontinence
- Post-void dribbling
- Reflex incontinence
- Stress Incontinence (female and male)
- Total incontinence
- Urge incontinence
- Other incontinence
- Other
- Unspecified

Please document in your progress notes and discharge summary in order to capture severity of condition.

Urosepsis

ICD-10 does not have a code for urosepsis. Please document with the appropriate condition:

- UTI
- UTI with sepsis

Please document in your progress notes and discharge summary in order to capture severity of condition.

Varicose Veins (Varix) of Lower Extremities

- Asymptomatic
- With
 - Inflammation
 - ◆ Stasis dermatitis
 - Pain
 - Ulcer
 - Ulcer and inflammation
 - Other complications
 - ◆ Edema
 - ◆ Swelling
- Site for ulcer
 - Ankle
 - Calf
 - Other part of foot
 - Heel and midfoot
 - Other part of lower leg
 - Thigh
 - Unspecified
- Depth of Ulcer
 - Breakdown of skin
 - Fat layer exposed
 - Necrosis of muscle
 - Necrosis of bone
 - Unspecified severity
- Laterality
 - Right
 - Left
 - Bilateral
 - Unspecified

Please document in your progress notes and discharge summary in order to capture severity of condition.

Vitamin B12 Deficiency or Anemia

- Nutritional
 - Deficiency, vitamin B12
 - ◆ Cyanocobalamin deficiency

- Hematologic
 - Vitamin B12 deficiency anemia
 - ◆ Due to intrinsic factor deficiency
 - Addison anemia
 - Biermer anemia
 - Pernicious (congenital) anemia
 - Congenital intrinsic factor deficiency
 - ◆ Due to selective vitamin B12 malabsorption with proteinuria
 - Imerslund (Grasbeck) syndrome
 - Megaloblastic hereditary anemia
 - ◆ Transcobalamin II deficiency
 - ◆ Other dietary
 - Vegan anemia
 - ◆ Other
 - ◆ Unspecified

Please document in your progress notes and discharge summary in order to capture severity of condition.